



# Red Hat Enterprise Linux Certification Matrix for Dell EMC PowerEdge Servers

April 20, 2021




Dell EMC Linux Team

# Introduction

- This set of matrices attempt to represent the certification status between different versions of Red Hat Enterprise Linux and Dell EMC PowerEdge servers
- Dell Technologies policy is to offer ‘validation’ support for a new release of RHEL at the moment it is GA from Red Hat
  - Customers with an existing Dell ProSupport contract who purchased their RHN subscription with their Dell EMC server may download and install the new release onto their server and will continue to be covered by their ProSupport contract.
  - Please note that only the contents of the distribution ISO are supported. No other software.
- Please note the Red Hat CPU support policy here :
  - <https://access.redhat.com/support/policy/intel>



# Support levels for a platform/release combination

- There are three levels of status :
  - **Not Supported** : The absence of an icon indicates that this release is not supported or certified for the referenced platform.
  - **Certified**: The release has been successfully certified, or the cert has been carried forward from a previous cert, and will appear on the Red Hat hardware certification page, no additional validation has been carried out. Certified is indicated by: 
  - **Validated** : The release has been successfully certified and tested by Dell Technologies teams and will appear on the Red Hat hardware certification page. The contents of the distribution ISO are supported by Dell Technologies for their RHEL OEM customers and the ISO contains functioning drivers for the hardware platform. In the following matrices. Validated is indicated by : 
  - **Fully Supported** : The contents of the distribution ISO are **Validated** AND the Dell Technologies Systems Management tools are available for this combination of RHEL release and the hardware, Factory Installation may be available and there may be Dell drivers available. In the following matrices, Fully Supported is indicated by : 



# Red Hat Enterprise Linux downgrade and extensions

- The owner of a valid RHN subscription may download other versions of RHEL at no charge. If the combination of the platform and the OS release are marked as at least Validated, this is supported.
- Customers with a current Dell ProSupport contract who purchased their RHEL subscription from Dell for their server are able to download and use those RHEL extensions and continue to be covered by their support contract.
- Other Red Hat products such as RHEV are not included but the certification for RHEL also certifies that product which can be purchased directly from Red Hat.



RHEL 8.x

PowerEdge  
Support  
Matrix



# RHEL 8.x PE Rack, PE-C, Modular Servers

AMD Rack	R6515**	R7515**	R6525**	R7525**	XE8545
64 Bit Only					
RHEL 8.0					
RHEL 8.1					
RHEL 8.2					
RHEL 8.3					<b>C</b>

Intel Rack	R240	R340	R440	XR2	R540	R640	R740	R740xd	R740xd2	R840	R940	R940xa	XE2420
64 Bit Only													
RHEL 8.0													
RHEL 8.0 Realtime						<b>C</b>	<b>C</b>	<b>C</b>					
RHEL 8.1													<b>C</b>
RHEL 8.1 Realtime						<b>C</b>	<b>C</b>	<b>C</b>					<b>C</b>
RHEL 8.2													<b>C</b>
RHEL 8.2 Realtime						<b>C</b>	<b>C</b>	<b>C</b>					<b>C</b>
RHEL 8.3													
RHEL 8.3 Realtime						<b>C</b>	<b>C</b>	<b>C</b>					<b>C</b>

AMD Rack	R6415*	R7415*	R7425*
64 Bit Only			
RHEL 8.0			
RHEL 8.1			
RHEL 8.2			
RHEL 8.3			

PE-C	C6420	C4140	C6525**
64 Bit Only			
RHEL8.0			
RHEL8.1			
RHEL8.2			
RHEL8.3			

\*\* AMD EPYC 3<sup>rd</sup> Generation (Milan) processors require RHEL8.3 minimum

\*\*\* E-22XXG Series Processors require RHEL8.1 or later

H755 & HBA355 require RHEL8.2 minimum

AMD Rome servers require iommu=pt when using PCIe Gen4 devices

\*\* AMD Rome servers require RHEL8.0U2 or later

\* The H330 requires BIOS v1.8.7 with these platforms



# RHEL 8.x PE Tower, Rack, Modular Servers

Modular	M1000e Blade	FX2 Blade	VRTX Blade	MX7000 Blade	
	M640	FC640	M640	MX740c	MX840c
64 Bit Only					
RHEL 8.0					
RHEL 8.1					
RHEL 8.2					
RHEL 8.3					

Tower	T140	T340	T440	T640
64 Bit Only				
RHEL 8.0				
RHEL 8.1				
RHEL 8.2				
RHEL 8.3				

Intel Rack	R430	R630	R730	R730xd	R830	R930
64 Bit Only						
RHEL 8.0						
RHEL 8.1						
RHEL 8.2						
RHEL 8.3						

Modular	M1000e Blade	M1000e Blade	FX2 Blade	FX2 Blade	FX2 Blade	VRTX Blade	VRTX Blade
	M630	M830	FC430	FC630	FC830	M630	M830
64 Bit Only							
RHEL 8.0							
RHEL 8.1							
RHEL 8.2							
RHEL 8.3							

\*\*\* E-22XXG Series Processors require RHEL8.1 or later

H755 & HBA355 require RHEL8.2 minimum



RHEL 7.x

PowerEdge  
Support  
Matrix





# RHEL 7.x PE Rack Servers

AMD Rack	R6515***	R7515***	R6525***	R7525***
64 Bit Only				
RHEL 7.6				
RHEL 7.7				
RHEL 7.8				
RHEL 7.9				

Intel Rack	R240#	R340#	R440	XR2	R540	R640
64 Bit Only						
RHEL 7.3						
RHEL 7.4						
RHEL 7.5						
RHEL 7.6						
RHEL7.7						
RHEL7.8						
RHEL 7.9						

Intel Rack	R740	R740xd	R740xd2	R840	R940*	R940xa
64 Bit Only						
RHEL 7.3						
RHEL 7.4						
RHEL 7.5						
RHEL 7.6						
RHEL7.7						
RHEL7.8						
RHEL 7.9						

AMD Rack	R6415**	R7415**	R7425**
64 Bit Only			
RHEL 7.3			
RHEL 7.4			
RHEL 7.5			
RHEL 7.6			
RHEL 7.7			
RHEL 7.8			
RHEL 7.9			

\*\*\* AMD EPYC 3<sup>rd</sup> Generation (Milan) processors are not supported with RHEL7

# E-22XXG Series Processors require RHEL7.7 or later

H755 & HBA355 require RHEL7.8 minimum

AMD Rome servers require iommu=pt when using PCIe Gen4 devices

\*\*\*AMD Rome servers require RHEL7.6U6 or later

Cascade Lake-SP servers require RHEL7.6 or later

\*\* The H330 requires BIOS v1.8.7 with these platforms

\* kernel-3.10.0-514.6.1.el7.x86\_64 is the minimum kernel version that supports the 4 socket R940



# RHEL 7.x PE Towers, Blades & PE-C

PE-C	C6420	C4140	C6525***
64 Bit Only			
RHEL 7.3			
RHEL 7.4			
RHEL 7.5			
RHEL 7.6			
RHEL 7.7			
RHEL 7.8			
RHEL 7.9			

Modular	M1000e Blade	FX2 Blade	VRTX Blade	MX7000 Blade	
	M640	FC640	M640	MX740c	MX840c
64 Bit Only					
RHEL 7.3					
RHEL 7.4					
RHEL 7.5					
RHEL 7.6					
RHEL 7.7					
RHEL 7.8					
RHEL 7.9					

Tower	T140#	T340#	T440	T640
64 Bit Only				
RHEL 7.3				
RHEL 7.4				
RHEL 7.5				
RHEL 7.6				
RHEL 7.7				
RHEL 7.8				
RHEL 7.9				

\*\*\* AMD EPYC 3<sup>rd</sup> Generation (Milan) processors are not supported with RHEL7

# E-22XXG Series Processors require RHEL7.7 or later

H755 & HBA355 require RHEL7.8 minimum

\*\*\* These servers require RHEL7.6U6 or later

Cascade Lake-SP servers require RHEL7.6 or later



# RHEL 7.x PE Rack, Blades, Tower and PE-C

13G Rack	R230		R330		R430	R530	R630		R730		R730xd	
	Xeon E3-1200-v5	Xeon E3-1200-v6	Xeon E3-1200-v5	Xeon E3-1200-v6	Xeon E5-2600 V3	Xeon E5-2600 V3	Xeon E5-2600 V4	Xeon E5-2600 V3	Xeon E5-2600 V4	Xeon E5-2600 V3	Xeon E5-2600 V4	Xeon E5-2600 V3
64 Bit Only												
RHEL 7.0 (Gold)												
RHEL 7.1												
RHEL 7.2												
RHEL 7.3												
RHEL 7.4												
RHEL 7.5												
RHEL 7.6												
RHEL 7.7												
RHEL 7.8												
RHEL 7.9												

13G Rack	R830	R930			
	Xeon E5-4600 V4	Xeon E7-8800 V4	Xeon E7-8800 V3	Xeon E7-4800 V4	Xeon E7-4800 V3
64 Bit Only					
RHEL 7.0 (Gold)					
RHEL 7.1					
RHEL 7.2					
RHEL 7.3					
RHEL 7.4					
RHEL 7.5					
RHEL 7.6					
RHEL 7.7					
RHEL 7.8					
RHEL 7.9					

13G Modular	M1000e Blade				FX2 Blade								VRTX Blade	
	M630	M830	M830	M830	FM120x4	FC430		FC630		FC830		M630	M830	
	Xeon E5-2600 V4	Xeon E5-2600 V3	Xeon E5-4600 V4	Xeon E5-4600 V3	Atom C2000	Xeon E5-2600 V4	Xeon E5-2600 V3	Xeon E5-2600 V4	Xeon E5-2600 V3	Xeon E5-4600 V4	Xeon E5-4600 V3	Xeon E5-2600 V4	Xeon E5-2600 V3	
64 Bit Only														
RHEL 7.0 (Gold)														
RHEL 7.1														
RHEL 7.2														
RHEL 7.3														
RHEL 7.4														
RHEL 7.5														
RHEL 7.6														
RHEL 7.7														
RHEL 7.8														
RHEL 7.9														

13G Tower	T30	T130		T330		T430	T630	
	Xeon E3-1200-v5	Xeon E3-1200-v5	Xeon E3-1200-v6	Xeon E3-1200-v5	Xeon E3-1200-v6	Xeon E5-2600 V3	Xeon E5 2600 V4	Xeon E5 2600 V3
64 Bit Only								
RHEL 7.0 (Gold)								
RHEL 7.1								
RHEL 7.2								
RHEL 7.3								
RHEL 7.4								
RHEL 7.5								
RHEL 7.6								
RHEL 7.7								
RHEL 7.8								
RHEL 7.9								

13G PE-C	C4130	C6320		C6320p
	Xeon E5-2600 V3	Xeon E5-2600 V4	Xeon E5-2600 V3	Xeon E5-7200
64 Bit Only				
RHEL 7.0 (Gold)				
RHEL 7.1				
RHEL 7.2				
RHEL 7.3				
RHEL 7.4				
RHEL 7.5				
RHEL 7.6				
RHEL 7.7				
RHEL 7.8				
RHEL 7.9				

\*\* kernel-3.10.0-327.36.1.el7 is the minimum kernel version that supports the Intel® Xeon Phi™ processor 72XX product family



# RHEL 7.x PE Rack and Blades

12G Rack	R220	R320	R320	R420	R420	R520	R520	R620	R620	R720	R720	R720XD
	Xeon E3-1200 V3	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2600	Xeon E5-2600 V2	Xeon E5-2600	Xeon E5-2600 V2	Xeon E5-2600
64 Bit Only												
RHEL 7.0 (Gold)												
RHEL 7.1												
RHEL 7.2												
RHEL 7.3												
RHEL 7.4												
RHEL 7.5												
RHEL 7.6												
RHEL 7.7	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>
RHEL 7.8	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>
RHEL 7.9	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>

12G Rack	R720XD	R820	R820	R920	R920	R920
	Xeon E5-2600 V2	Xeon E5-4600	Xeon E5-4600 V2	Xeon E7-2800 V2	Xeon E7-4800 V2	Xeon E7-8800 V2
64 Bit Only						
RHEL 7.0 (Gold)						
RHEL 7.1						
RHEL 7.2						
RHEL 7.3						
RHEL 7.4						
RHEL 7.5						
RHEL 7.6						
RHEL 7.7	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>
RHEL 7.8	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>
RHEL 7.9	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>

12G Blade	Standard Blade	Standard Blade	Standard Blade	Standard Blade
	M420	M420	M520	M520
	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2400	Xeon E5-2400 V2
64 Bit Only				
RHEL 7.0 (Gold)				
RHEL 7.1				
RHEL 7.2				
RHEL 7.3				
RHEL 7.4				
RHEL 7.5				
RHEL 7.6				
RHEL 7.7	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>
RHEL 7.8	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>
RHEL 7.9	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>



# RHEL 7.x PE Blades, Towers and PE-C

12G Blade	Standard Blade	Standard Blade	Standard Blade	Standard Blade	VRTX Blade	VRTX Blade	VRTX Blade	VRTX Blade	VRTX Blade	VRTX Blade
	M620	M620	M820	M820	M520	M520	M620	M620	M820	M820
	Xeon E5-2600	Xeon E5-2600 V2	Xeon E5-4600	Xeon E5-4600 V2	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5 4600	Xeon E4 4600 V2
64 Bit Only										
RHEL 7.0 (Gold)										
RHEL 7.1										
RHEL 7.2										
RHEL 7.3										
RHEL 7.4										
RHEL 7.5										
RHEL 7.6										
RHEL 7.7										
RHEL 7.8										
RHEL 7.9										

12G Tower	T20	T320	T320	T420	T420	T620	T620
	Xeon E3-1225 V3	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2600	Xeon E5-2600 V2
64 Bit Only							
RHEL 7.0 (Gold)							
RHEL 7.1							
RHEL 7.2							
RHEL 7.3							
RHEL 7.4							
RHEL 7.5							
RHEL 7.6							
RHEL 7.7							
RHEL 7.8							
RHEL 7.8							
RHEL 7.9							

12G PE-C	C5220	C5220	C6105	C6145	C6220	C8220X	C8220X
	Xeon E3-1200	Xeon E3-1200 V2	Opteron 4300	Opteron 6300	Xeon E5-2600	Xeon E5-2600	Xeon E5-2600 V2
64 Bit Only							
RHEL 7.0 (Gold)							
RHEL 7.1							
RHEL 7.2							
RHEL 7.3							
RHEL 7.4							
RHEL 7.5							
RHEL 7.6							
RHEL 7.7							



























# RHEL 7.x PE Rack

11G Rack	R210	R210 II	R210 II	R310	R410	R410	R415	R415	R415	R510	R510
	Xeon 3400	Xeon E3-1200	Xeon E3-1200 V2	Xeon 3400	Xeon 5500	Xeon 5600	Opteron 4100	Opteron 4200	Opteron 4300	Xeon 5500	Xeon 5600
64 Bit Only											
RHEL 7.0 (Gold)											
RHEL 7.1											
RHEL 7.2											
RHEL 7.3											
RHEL 7.4											
11G Rack	R515	R515	R515	R610	R610	R710	R710	R715	R715	R715	
	Opteron 4100	Opteron 4200	Opteron 4300	Xeon 5500	Xeon 5600	Xeon 5500	Xeon 5600	Opteron 6100	Opteron 6200	Opteron 6300	
64 Bit Only											
RHEL 7.0 (Gold)											
RHEL 7.1											
RHEL 7.2											
RHEL 7.3											
RHEL 7.4											
11G Rack	R810	R810	R810	R810	R810	R815	R815	R815	R910	R910	R910
	Xeon 6500	Xeon 7500	Xeon E7-2800	Xeon E7-4800	Xeon E7-8800	Opteron 6100	Opteron 6200	Opteron 6300	Xeon 7500	Xeon E7-4800	Xeon E7-8800
64 Bit Only											
RHEL 7.0 (Gold)											
RHEL 7.1											
RHEL 7.2											
RHEL 7.3											
RHEL 7.4											



# RHEL 7.x PE Blades and Towers

11G Blade	M610	M610	M610X	M610X	M710	M710	M710HD	M710HD		
	Xeon 5500	Xeon 5600	Xeon 5500	Xeon 5600	Xeon 5500	Xeon 5500	Xeon 5500	Xeon 5600		
64 Bit Only										
RHEL 7.0 (Gold)										
RHEL 7.1										
RHEL 7.2										
RHEL 7.3										
RHEL 7.4										
11G Blade	M910	M910	M910	M910	M910	M915	M915	M915		
	Xeon 6500	Xeon 7500	Xeon E7-2800	Xeon E7-4800	Xeon E7-8800	Opteron 6100	Opteron 6200	Opteron 6200		
64 Bit Only										
RHEL 7.0 (Gold)										
RHEL 7.1										
RHEL 7.2										
RHEL 7.3										
RHEL 7.4										
11G Tower	T110	T110 II	T110 II	T310	T410	T410	T610	T610	T710	T710
	Xeon 3400	Xeon E3-1200	Xeon E3-1200 V2	Xeon 3400	Xeon 5500	Xeon 5600	Xeon 5500	Xeon 5600	Xeon 5500	Xeon 5600
64 Bit Only										
RHEL 7.0 (Gold)										
RHEL 7.1										
RHEL 7.2										
RHEL 7.3										
RHEL 7.4										



RHEL 6.x

PowerEdge  
Support  
Matrix





# RHEL 6.x PE Rack Servers, Towers, Blades and PE-C

Intel Rack	XR2	R440	R540	R640	R740	R740xd	R940
	Skylake	Skylake	Skylake	Skylake	Skylake	Skylake	Skylake
64 Bit Only							
RHEL 6.9							
RHEL 6.10							

PE-C	C6420
	Skylake
64 Bit Only	
RHEL 6.9	
RHEL 6.10	

Modular	M1000e Blade	FX2 Blade	VRTX Blade
	M640	FC640	M640
	Skylake	Skylake	Skylake
64 Bit Only			
RHEL 6.9			
RHEL 6.10			

Tower	T440	T640
	Skylake	Skylake
64 Bit Only		
RHEL 6.9		
RHEL 6.10		

## RHEL6 does not support Cascade Lake-SP CPUs

**Note:** RHEL 6 was in Production 3 Phase of the Red Hat Enterprise Linux Life Cycle which means no new hardware enablement and no new functionality were planned.

The following are not supported with RHEL 6;

- Intel OPA
- NVMe on 14G (NVMe on 13G is supported)
- NVDIMM
- Qlogic Bavaria and Arrowhead
- NVMe over Fabric



















































# RHEL 6.x PE Racks and Blades

























13G Rack	R230	R330	R430	R530	R530xd	R630	R630	R730	R730	R730xd	R730xd	R830	R930	R930
	Xeon E3-2600-v5	Xeon E3-2600-v5	Xeon E5-2600 V3	Xeon E5-2600 V3	Xeon E5-2600 V3	Xeon E5 2600 V4	Xeon E5 2600 V3	Xeon E5 2600 V4	Xeon E5 2600 V3	Xeon E5 2600 V4	Xeon E5 2600 V3	Xeon E5 4600 v4	Xeon E7-8800 V3	Xeon E7-4800 V3
64 Bit Only														
RHEL 6.0 (Gold)														
RHEL 6.1														
RHEL 6.2														
RHEL 6.3														
RHEL 6.4														
RHEL 6.5														
RHEL 6.6														
RHEL 6.7														
RHEL 6.8														
RHEL 6.9														
RHEL 6.10														

13G Modular	M1000e Blade	M1000e Blade	M1000e Blade	FX2 Blade	FX2 Blade	FX2 Blade	FX2 Blade	FX2 Blade	FX2 Blade	VRTX Blade	VRTX Blade	VRTX Blade
	M630	M630	M830	FM120x4	FC430	FC430	FC630	FC630	FC830	M630	M630	M830
	Xeon E5-2600 V4	Xeon E5-2600 V3	Xeon E5-4600 V3	Atom C2000	Xeon E5-2600 V4	Xeon E5-2600 V3	Xeon E5-2600 V4	Xeon E5-2600 V3	Xeon E5-4600 V3	Xeon E5-2600 V4	Xeon E5-2600 V3	Xeon E5-4600 V3
64 Bit Only												
RHEL 6.0 (Gold)												
RHEL 6.1												
RHEL 6.2												
RHEL 6.3												
RHEL 6.4												
RHEL 6.5												
RHEL 6.6												
RHEL 6.7												
RHEL 6.8												
RHEL 6.9												
RHEL 6.10												



# RHEL 6.x PE Tower and PE-C

13G Tower	T130	T330	T430	T630	T630
	Xeon E3-2600- v5	Xeon E3-2600- v5	Xeon E5-2600 V3	Xeon E5 2600 V4	Xeon E5 2600 V3
64 Bit Only					
RHEL 6.0 (Gold)					
RHEL 6.1					
RHEL 6.2					
RHEL 6.3					
RHEL 6.4					
RHEL 6.5			 		 
RHEL 6.6			 		 
RHEL 6.7	 	 	 	 	 
RHEL 6.8	 	 	 	 	 
RHEL 6.9	 	 	 	 	 
RHEL 6.10	 	 	 	 	 

13G PE-C	C4130	C6320	C6320
	Xeon E5-2600 V3	Xeon E5-2600 V4	Xeon E5-2600 V3
64 Bit Only			
RHEL 6.0 (Gold)			
RHEL 6.1			
RHEL 6.2			
RHEL 6.3			
RHEL 6.4			
RHEL 6.5			
RHEL 6.6			
RHEL 6.7	 		
RHEL 6.8	 		
RHEL 6.9	 	 	 
RHEL 6.10	 	 	 



# RHEL 6.x PE Racks

12G Rack	R220	R320	R320	R420	R420	R520	R520	R620	R620	R720	R720
	Xeon E3-1200 V3	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2600	Xeon E5-2600 V2	Xeon E5-2600	Xeon E5-2600 V2
64 Bit Only											
RHEL 6.0 (Gold)											
RHEL 6.1											
RHEL 6.2											
RHEL 6.3											
RHEL 6.4											
RHEL 6.5											
RHEL 6.6											
RHEL 6.7											
RHEL 6.8											
RHEL 6.9											
RHEL 6.10											

12G Rack	R720XD	R720XD	R820	R820	R920	R920	R920
	Xeon E5-2600	Xeon E5-2600 V2	Xeon E5-4600	Xeon E5-4600 V2	Xeon E7-2800 V2	Xeon E7-4800 V2	Xeon E7-8800 V2
64 Bit Only							
RHEL 6.0 (Gold)							
RHEL 6.1							
RHEL 6.2							
RHEL 6.3							
RHEL 6.4							
RHEL 6.5							
RHEL 6.6							
RHEL 6.7							
RHEL 6.8							
RHEL 6.9							
RHEL 6.10							



# RHEL 6.x PE Blades and Towers

12G Blade	Standard Blade	Standard Blade	Standard Blade	Standard Blade	Standard Blade	Standard Blade	Standard Blade	Standard Blade	VRTX Blade	VRTX Blade	VRTX Blade	VRTX Blade	VRTX Blade	VRTX Blade
	M420	M420	M520	M520	M620	M620	M820	M820	M520	M520	M620	M620	M820	M820
	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2600	Xeon E5-2600 V2	Xeon E5-4600	Xeon E5-4600 V2	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5 4600	Xeon E4 4600 V2
64 Bit Only														
RHEL 6.0 (Gold)														
RHEL 6.1														
RHEL 6.2	✓		✓		✓		✓		✓		✓		✓	
RHEL 6.3	✓		✓		✓		✓		✓		✓		✓	
RHEL 6.4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.6	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.8	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.9	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

12G Tower	T20	T320	T320	T420	T420	T620	T620
	Xeon E3-1225 V3	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2600	Xeon E5-2600 V2
64 Bit Only							
RHEL 6.0 (Gold)							
RHEL 6.1							
RHEL 6.2		✓		✓		✓	
RHEL 6.3		✓		✓		✓	
RHEL 6.4	✓	✓	✓	✓	✓	✓	✓
RHEL 6.5	✓	✓	✓	✓	✓	✓	✓
RHEL 6.6	✓	✓	✓	✓	✓	✓	✓
RHEL 6.7	✓	✓	✓	✓	✓	✓	✓
RHEL 6.8	✓	✓	✓	✓	✓	✓	✓
RHEL 6.9	✓	✓	✓	✓	✓	✓	✓
RHEL 6.10	✓	✓	✓	✓	✓	✓	✓



# RHEL 6.x PE-C

12G PE-C	C5220	C5220	C6105	C6145	C6220	C8220X	C8220X
	Xeon E3-1200	Xeon E3-1200 V2	Opteron 4300	Opteron 6300	Xeon E5-2600	Xeon E5-2600	Xeon E5-2600 V2
64 Bit Only							
RHEL 6.0 (Gold)	✓		✓				
RHEL 6.1	✓	✓	✓		✓	✓	
RHEL 6.2	✓	✓	✓	✓	✓	✓	
RHEL 6.3	✓	✓	✓	✓	✓	✓	
RHEL 6.4	✓	✓	✓	✓	✓	✓	✓
RHEL 6.5	✓	✓	✓	✓	✓	✓	✓
RHEL 6.6	✓	✓	✓	✓	✓	✓	✓
RHEL 6.7	✓	✓	✓	✓	✓	✓	✓
RHEL 6.8	✓	✓	✓	✓	✓	✓	✓
RHEL 6.9	✓	✓	✓	✓	✓	✓	✓
RHEL 6.10	✓	✓	✓	✓	✓	✓	✓



# RHEL 6.x PE Racks

11G Rack	R210	R210 II	R210 II	R310	R410	R410	R415	R415	R415	R510	R510
	Xeon 3400	Xeon E3-1200	Xeon E3-1200 V2	Xeon 3400	Xeon 5500	Xeon 5600	Opteron 4100	Opteron 4200	Opteron 4300	Xeon 5500	Xeon 5600
64 Bit Only											
RHEL 6.0 (Gold)											
RHEL 6.1											
RHEL 6.2											
RHEL 6.3											
RHEL 6.4											
RHEL 6.5											
RHEL 6.6											
RHEL 6.7											
RHEL 6.8											
RHEL 6.9											

11G Rack	R515	R515	R515	R610	R610	R710	R710	R715	R715	R715
	Opteron 4100	Opteron 4200	Opteron 4300	Xeon 5500	Xeon 5600	Xeon 5500	Xeon 5600	Opteron 6100	Opteron 6200	Opteron 6300
64 Bit Only										
RHEL 6.0 (Gold)										
RHEL 6.1										
RHEL 6.2										
RHEL 6.3										
RHEL 6.4										
RHEL 6.5										
RHEL 6.6										
RHEL 6.7										
RHEL 6.8										
RHEL 6.9										

11G Rack	R810	R810	R810	R810	R810	R815	R815	R815	R910	R910	R910
	Xeon 6500	Xeon 7500	Xeon E7-2800	Xeon E7-4800	Xeon E7-8800	Opteron 6100	Opteron 6200	Opteron 6300	Xeon 7500	Xeon E7-4800	Xeon E7-8800
64 Bit Only											
RHEL 6.0 (Gold)											
RHEL 6.1											
RHEL 6.2											
RHEL 6.3											
RHEL 6.4											
RHEL 6.5											
RHEL 6.6											
RHEL 6.7											
RHEL 6.8											
RHEL 6.9											



# RHEL 6.x PE Blades





























































































































































11G Blade	M610	M610	M610X	M610X	M710	M710	M710HD	M710HD	M910	M910	M910
	Xeon 5500	Xeon 5600	Xeon 5500	Xeon 5600	Xeon 5500	Xeon 5500	Xeon 5500	Xeon 5600	Xeon 6500	Xeon 7500	Xeon E7-2800
64 Bit Only											
RHEL 6.0 (Gold)											
RHEL 6.1											
RHEL 6.2											
RHEL 6.3											
RHEL 6.4											
RHEL 6.5											
RHEL 6.6											
RHEL 6.7											
RHEL 6.8											
RHEL 6.9											

11G Blade	M910	M910	M915	M915	M915
	Xeon E7-4800	Xeon E7-8800	Opteron 6100	Opteron 6200	Opteron 6200
64 Bit Only					
RHEL 6.0 (Gold)					
RHEL 6.1					
RHEL 6.2					
RHEL 6.3					
RHEL 6.4					
RHEL 6.5					
RHEL 6.6					
RHEL 6.7					
RHEL 6.8					
RHEL 6.9					





# RHEL 6.x PE Towers

11G Tower	T110	T110 II	T110 II	T310	T410	T410	T610	T610	T710	T710
	Xeon 3400	Xeon E3-1200	Xeon E3-1200	Xeon 3400	Xeon 5500	Xeon 5600	Xeon 5500	Xeon 5600	Xeon 5500	Xeon 5600
64 Bit Only										
RHEL 6.0 (Gold)	 	 		 	 	 	 	 	 	 
RHEL 6.1	 	 		 	 	 	 	 	 	 
RHEL 6.2	 	 	 	 	 	 	 	 	 	 
RHEL 6.3	 	 	 	 	 	 	 	 	 	 
RHEL 6.4	 	 	 	 	 	 	 	 	 	 
RHEL 6.5	 	 	 	 	 	 	 	 	 	 
RHEL 6.6	 	 	 	 	 	 	 	 	 	 
RHEL 6.7	 	 	 	 	 	 	 	 	 	 
RHEL 6.8										
RHEL 6.9										

