



Red Hat Enterprise Linux Certification Matrix for Dell EMC PowerEdge Servers

December 5, 2018



Dell EMC Linux Team

Introduction

- This set of matrices attempt to represent the certification status between different versions of Red Hat Enterprise Linux and Dell EMC PowerEdge servers
- Dell EMC's policy is to offer 'validation' support for a new release of RHEL at the moment it is GA from Red Hat
 - Customers with an existing Dell EMC ProSupport contract who purchased their RHN subscription with their Dell EMC server may download and install the new release onto their server and will continue to be covered by their ProSupport contract.
 - Please note that only the contents of the distribution ISO are supported. No other software.
- Please note the Red Hat CPU support policy here :
 - <https://access.redhat.com/support/policy/intel>



Support levels for a platform/release combination

- There are three levels of status :
 - **Not Supported** : The absence of an icon indicates that this release is not supported or certified for the referenced platform.
 - **Validated** : The release has been successfully certified and tested and will appear on the Red Hat hardware certification page. The contents of the distribution ISO are supported by Dell EMC for their RHEL OEM customers and the ISO contains functioning drivers for the hardware platform. In the following matrices, Validated is indicated by : 
 - **Fully Supported** : The contents of the distribution ISO are **Validated** AND the Dell EMC Systems Management tools are available for this combination of RHEL release and the hardware. In the following matrices, Fully Supported is indicated by : 

Red Hat ES 7 downgrade and extensions

- The owner of a valid RHN subscription may download other versions of RHEL at no charge. If the combination of the platform and the OS release are marked as at least Validated, this is supported.
- Customers with a current Dell EMC ProSupport contract who purchased their RHEL subscription from Dell with their server are able to download and use those RHEL extensions (such as RH Atomic) and continue to be covered by their support contract.
- Other Red Hat products such as RHEV are not included but the certification for RHEL also certifies that product which can be purchased directly from Red Hat.



RHEL 7.x

PowerEdge 14th, 13th,
12th and 11th
Generation Support



RHEL 7.x, 14G Rack Servers, Towers, Blades & PE-C

14G Rack Intel	XR2	R240	R340	R440	R540	R640	R740	R740xd	R740xd2	R840	R940*	R940xa
64 Bit Only												
RHEL 7.3												
RHEL 7.4												
RHEL 7.5												
RHEL 7.6												
14 Rack AMD	R6415	R7415	R7425									
64 Bit Only												
RHEL 7.3												
RHEL 7.4												
RHEL 7.5												
RHEL 7.6												
14G PE-C	C6420	C4140										
64 Bit Only												
RHEL 7.3												
RHEL 7.4												
RHEL 7.5												
RHEL 7.6												
14G Modular	M1000e Blade	FX2 Blade	VRTX Blade	MX7000 Blade	MX7000 Blade							
	M640	FC640	M640	MX740c	MX840c							
64 Bit Only												
RHEL 7.3												
RHEL 7.4												
RHEL 7.5												
RHEL 7.6												
14G Tower	T140	T340	T440	T640								
64 Bit Only												
RHEL 7.3												
RHEL 7.4												
RHEL 7.5												
RHEL 7.6												

* kernel-3.10.0-514.6.1.el7.x86_64 is the minimum kernel version that supports the 4 socket R940



RHEL 7.x, 13G Rack, Blades, Tower and PE-C

13G Rack	R230	R230	R330	R330	R430	R530	R530xd	R630	R630	R730	R730	R730xd	R730xd
	Xeon E3-1200-v5	Xeon E3-1200-v6	Xeon E3-1200-v5	Xeon E3-1200-v6	Xeon E5-2600 V3	Xeon E5-2600 V3	Xeon E5-2600 V3	Xeon E5-2600 V4	Xeon E5-2600 V3	Xeon E5-2600 V4	Xeon E5-2600 V3	Xeon E5-2600 V4	Xeon E5-2600 V3
64 Bit Only													
RHEL 7.0 (Gold)													
RHEL 7.1													
RHEL 7.2													
RHEL 7.3													
RHEL 7.4													
RHEL 7.5													
RHEL 7.6													

13G Rack	R830	R930	R930	R930	R930
	Xeon E5-4600 V4	Xeon E7-8800 V4	Xeon E7-8800 V4	Xeon E7-8800 V4	Xeon E7-8800 V3
64 Bit Only					
RHEL 7.0 (Gold)					
RHEL 7.1					
RHEL 7.2					
RHEL 7.3					
RHEL 7.4					
RHEL 7.5					
RHEL 7.6					

13G Modular	M1000e Blade M630	M1000e Blade M630	M1000e Blade M830	M1000e Blade M830	FX2 Blade FM120x4	FX2 Blade FC430	FX2 Blade FC430	FX2 Blade FC630	FX2 Blade FC630	FX2 Blade FC830	FX2 Blade FC830	VRTX Blade M630	VRTX Blade M630	VRTX Blade M830
	Xeon E5-2600 V4	Xeon E5-2600 V3	Xeon E5-4600 V4	Xeon E5-4600 V3	Atom C2000	Xeon E5-2600 V4	Xeon E5-2600 V3	Xeon E5-2600 V4	Xeon E5-2600 V3	Xeon E5-4600 V4	Xeon E5-4600 V3	Xeon E5-2600 V4	Xeon E5-2600 V3	Xeon E5-4600 V3
64 Bit Only														
RHEL 7.0 (Gold)														
RHEL 7.1														
RHEL 7.2														
RHEL 7.3														
RHEL 7.4														
RHEL 7.5														
RHEL 7.6														

13G Tower	T30	T130	T130	T330	T330	T430	T630	T630
	Xeon E3-1200-v5	Xeon E3-1200-v5	Xeon E3-1200-v6	Xeon E3-1200-v5	Xeon E3-1200-v6	Xeon E5-2600 V3	Xeon E5-2600 V4	Xeon E5-2600 V3
64 Bit Only								
RHEL 7.0 (Gold)								
RHEL 7.1								
RHEL 7.2								
RHEL 7.3								
RHEL 7.4								
RHEL 7.5								
RHEL 7.6								

13G PE-C	C4130	C6320	C6320	C6320p
	Xeon E5-2600 V3	Xeon E5-2600 V4	Xeon E5-2600 V3	Xeon E5-7200
64 Bit Only				
RHEL 7.0 (Gold)				
RHEL 7.1				
RHEL 7.2				
RHEL 7.3				
RHEL 7.4				
RHEL 7.5				
RHEL 7.6				

** kernel-3.10.0-327.36.1.el7 is the minimum kernel version that supports the Intel® Xeon Phi™ processor 72XX product family



RHEL 7.x, 12G Rack and Blades

12G Rack	R220	R320	R320	R420	R420	R520	R520	R620	R620	R720	R720	R720XD
	Xeon E3-1200 V3	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2600	Xeon E5-2600 V2	Xeon E5-2600	Xeon E5-2600 V2	Xeon E5-2600
64 Bit Only												
RHEL 7.0 (Gold)												
RHEL 7.1												
RHEL 7.2												
RHEL 7.3												
RHEL 7.4												
RHEL 7.5												
RHEL 7.6												

12G Rack	R720XD	R820	R820	R920	R920	R920
	Xeon E5-2600 V2	Xeon E5-4600	Xeon E5-4600 V2	Xeon E7-2800 V2	Xeon E7-4800 V2	Xeon E7-8800 V2
64 Bit Only						
RHEL 7.0 (Gold)						
RHEL 7.1						
RHEL 7.2						
RHEL 7.3						
RHEL 7.4						
RHEL 7.5						
RHEL 7.6						

12G Blade	Standard Blade	Standard Blade	Standard Blade	Standard Blade
	M420	M420	M520	M520
	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2400	Xeon E5-2400 V2
64 Bit Only				
RHEL 7.0 (Gold)				
RHEL 7.1				
RHEL 7.2				
RHEL 7.3				
RHEL 7.4				
RHEL 7.5				
RHEL 7.6				



RHEL 7.x, 12G Blades, Towers and PE-C

12G Blade	Standard Blade	Standard Blade	Standard Blade	Standard Blade	VRTX Blade	VRTX Blade	VRTX Blade	VRTX Blade	VRTX Blade	VRTX Blade
	M620	M620	M820	M820	M520	M520	M620	M620	M820	M820
	Xeon E5-2600	Xeon E5-2600 V2	Xeon E5-4600	Xeon E5-4600 V2	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5 4600	Xeon E4 4600 V2
64 Bit Only										
RHEL 7.0 (Gold)										
RHEL 7.1										
RHEL 7.2										
RHEL 7.3										
RHEL 7.4										
RHEL 7.5										
RHEL 7.6										
12G Tower	T20	T320	T320	T420	T420	T620	T620			
	Xeon E3-1225 V3	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2600	Xeon E5-2600 V2			
64 Bit Only										
RHEL 7.0 (Gold)										
RHEL 7.1										
RHEL 7.2										
RHEL 7.3										
RHEL 7.4										
RHEL 7.5										
RHEL 7.6										
12G PE-C	C5220	C5220	C6105	C6145	C6220	C8220X	C8220X			
	Xeon E3-1200	Xeon E3-1200 V2	Opteron 4300	Opteron 6300	Xeon E5-2600	Xeon E5-2600	Xeon E5-2600 V2			
64 Bit Only										
RHEL 7.0 (Gold)										
RHEL 7.1										
RHEL 7.2										
RHEL 7.3										
RHEL 7.4										
RHEL 7.5										
RHEL 7.6										



























RHEL 7.x, 11G Rack

11G Rack	R210	R210 II	R210 II	R310	R410	R410	R415	R415	R415	R510	R510
	Xeon 3400	Xeon E3-1200	Xeon E3-1200 V2	Xeon 3400	Xeon 5500	Xeon 5600	Opteron 4100	Opteron 4200	Opteron 4300	Xeon 5500	Xeon 5600
64 Bit Only											
RHEL 7.0 (Gold)											
RHEL 7.1											
RHEL 7.2											
RHEL 7.3											
RHEL 7.4											
11G Rack	R515	R515	R515	R610	R610	R710	R710	R715	R715	R715	
	Opteron 4100	Opteron 4200	Opteron 4300	Xeon 5500	Xeon 5600	Xeon 5500	Xeon 5600	Opteron 6100	Opteron 6200	Opteron 6300	
64 Bit Only											
RHEL 7.0 (Gold)											
RHEL 7.1											
RHEL 7.2											
RHEL 7.3											
RHEL 7.4											
11G Rack	R810	R810	R810	R810	R810	R815	R815	R815	R910	R910	R910
	Xeon 6500	Xeon 7500	Xeon E7-2800	Xeon E7-4800	Xeon E7-8800	Opteron 6100	Opteron 6200	Opteron 6300	Xeon 7500	Xeon E7-4800	Xeon E7-8800
64 Bit Only											
RHEL 7.0 (Gold)											
RHEL 7.1											
RHEL 7.2											
RHEL 7.3											
RHEL 7.4											



RHEL 7.x, 11G Blades and Towers

11G Blade	M610	M610	M610X	M610X	M710	M710	M710HD	M710HD		
	Xeon 5500	Xeon 5600	Xeon 5500	Xeon 5600	Xeon 5500	Xeon 5500	Xeon 5500	Xeon 5600		
64 Bit Only										
RHEL 7.0 (Gold)										
RHEL 7.1										
RHEL 7.2										
RHEL 7.3										
RHEL 7.4										
11G Blade	M910	M910	M910	M910	M910	M915	M915	M915		
	Xeon 6500	Xeon 7500	Xeon E7-2800	Xeon E7-4800	Xeon E7-8800	Opteron 6100	Opteron 6200	Opteron 6200		
64 Bit Only										
RHEL 7.0 (Gold)										
RHEL 7.1										
RHEL 7.2										
RHEL 7.3										
RHEL 7.4										
11G Tower	T110	T110 II	T110 II	T310	T410	T410	T610	T610	T710	T710
	Xeon 3400	Xeon E3-1200	Xeon E3-1200 V2	Xeon 3400	Xeon 5500	Xeon 5600	Xeon 5500	Xeon 5600	Xeon 5500	Xeon 5600
64 Bit Only										
RHEL 7.0 (Gold)										
RHEL 7.1										
RHEL 7.2										
RHEL 7.3										
RHEL 7.4										





























RHEL 6.x

PowerEdge 14th,
13th, 12th and 11th
Generation
Support



RHEL 6.x, 14G Rack Servers, Towers, Blades and PE-C

14G Rack	XR2	R440	R540	R640	R740	R740xd	R940
64 Bit Only							
RHEL 6.9							
RHEL 6.10							
14G PE-C	C6420						
64 Bit Only							
RHEL 6.9							
RHEL 6.10							
14G Modular	M1000e Blade	FX2 Blade	VRTX Blade				
	M640	FC640	M640				
64 Bit Only							
RHEL 6.9							
RHEL 6.10							
14G Tower	T440	T640					
64 Bit Only							
RHEL 6.9							
RHEL 6.10							

Note: RHEL 6 is in Production 3 Phase of the Red Hat Enterprise Linux Life Cycle which means no new hardware enablement and no new functionality are planned.

The following are not supported with RHEL 6;

- Intel OPA
- NVMe on 14G (NVMe on 13G is supported)
- NVDIMM
- Qlogic Bavaria and Arrowhead
- NVMe over Fabric













































RHEL 6.x, 13G Racks and Blades

13G Rack	R230	R330	R430	R530	R530xd	R630	R630	R730	R730	R730xd	R730xd	R830	R930	R930
	Xeon E3-2600- v5	Xeon E3-2600- v5	Xeon E5-2600 V3	Xeon E5-2600 V3	Xeon E5-2600 V3	Xeon E5 2600 V4	Xeon E5 2600 V3	Xeon E5 2600 V4	Xeon E5 2600 V3	Xeon E5 2600 V4	Xeon E5 2600 V3	Xeon E5 4600 v4	Xeon E7-8800 V3	Xeon E7-4800 V3
64 Bit Only														
RHEL 6.0 (Gold)														
RHEL 6.1														
RHEL 6.2														
RHEL 6.3														
RHEL 6.4														
RHEL 6.5														
RHEL 6.6														
RHEL 6.7														
RHEL 6.8														
RHEL 6.9														
RHEL 6.10														
13G Blade	Standard Blade	Standard Blade	Standard Blade	FX2 Blade	FX2 Blade	FX2 Blade	FX2 Blade	FX2 Blade	FX2 Blade	VRTX Blade	VRTX Blade	VRTX Blade		
	M630	M630	M830	FM120x4	FC430	FC430	FC630	FC630	FC830	M630	M630	M830		
	Xeon E5-2600 V4	Xeon E5-2600 V3	Xeon E5-4600 V3	Atom C2000	Xeon E5-2600 V4	Xeon E5-2600 V3	Xeon E5-2600 V4	Xeon E5-2600 V3	Xeon E5-4600 V3	Xeon E5-2600 V4	Xeon E5-2600 V3	Xeon E5-4600 V3		
64 Bit Only														
RHEL 6.0 (Gold)														
RHEL 6.1														
RHEL 6.2														
RHEL 6.3														
RHEL 6.4														
RHEL 6.5														
RHEL 6.6														
RHEL 6.7														
RHEL 6.8														
RHEL 6.9														
RHEL 6.10														



RHEL 6.x, 13G Tower and PE-C

13G Tower	T130	T330	T430	T630	T630
	Xeon E3-2600- v5	Xeon E3-2600- v5	Xeon E5-2600 V3	Xeon E5 2600 V4	Xeon E5 2600 V3
64 Bit Only					
RHEL 6.0 (Gold)					
RHEL 6.1					
RHEL 6.2					
RHEL 6.3					
RHEL 6.4					
RHEL 6.5			 		 
RHEL 6.6					
RHEL 6.7					
RHEL 6.8					
RHEL 6.9					
RHEL 6.10					
13G PE-C	C4130	C6320	C6320		
	Xeon E5-2600 V3	Xeon E5-2600 V4	Xeon E5-2600 V3		
64 Bit Only					
RHEL 6.0 (Gold)					
RHEL 6.1					
RHEL 6.2					
RHEL 6.3					
RHEL 6.4					
RHEL 6.5					
RHEL 6.6					
RHEL 6.7					
RHEL 6.8					
RHEL 6.9					
RHEL 6.10					



RHEL 6.x, 12G Racks

12G Rack	R220	R320	R320	R420	R420	R520	R520	R620	R620	R720	R720
	Xeon E3-1200 V3	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2600	Xeon E5-2600 V2	Xeon E5-2600	Xeon E5-2600 V2
64 Bit Only											
RHEL 6.0 (Gold)											
RHEL 6.1											
RHEL 6.2											
RHEL 6.3											
RHEL 6.4											
RHEL 6.5											
RHEL 6.6											
RHEL 6.7											
RHEL 6.8											
RHEL 6.9											
RHEL 6.10											

12G Rack	R720XD	R720XD	R820	R820	R920	R920	R920
	Xeon E5-2600	Xeon E5-2600 V2	Xeon E5-4600	Xeon E5-4600 V2	Xeon E7-2800 V2	Xeon E7-4800 V2	Xeon E7-8800 V2
64 Bit Only							
RHEL 6.0 (Gold)							
RHEL 6.1							
RHEL 6.2							
RHEL 6.3							
RHEL 6.4							
RHEL 6.5							
RHEL 6.6							
RHEL 6.7							
RHEL 6.8							
RHEL 6.9							
RHEL 6.10							



RHEL 6.x, 12G Blades and Towers

12G Blade	Standard Blade	Standard Blade	Standard Blade	Standard Blade	Standard Blade	Standard Blade	Standard Blade	Standard Blade	Standard Blade	VRTX Blade	VRTX Blade	VRTX Blade	VRTX Blade	VRTX Blade	VRTX Blade	
	M420	M420	M520	M520	M620	M620	M820	M820	M820	M520	M520	M620	M620	M820	M820	
	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2600	Xeon E5-2600 V2	Xeon E5-4600	Xeon E5-4600 V2	Xeon E5-4600 V2	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5 4600	Xeon E4 4600 V2	
64 Bit Only																
RHEL 6.0 (Gold)																
RHEL 6.1																
RHEL 6.2																
RHEL 6.3																
RHEL 6.4																
RHEL 6.5																
RHEL 6.6																
RHEL 6.7																
RHEL 6.8																
RHEL 6.9																
RHEL 6.10																
12G Tower	T20	T320	T320	T420	T420	T620	T620									
	Xeon E3-1225 V3	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2400	Xeon E5-2400 V2	Xeon E5-2600	Xeon E5-2600 V2									
64 Bit Only																
RHEL 6.0 (Gold)																
RHEL 6.1																
RHEL 6.2																
RHEL 6.3																
RHEL 6.4																
RHEL 6.5																
RHEL 6.6																
RHEL 6.7																
RHEL 6.8																
RHEL 6.9																
RHEL 6.10																



RHEL 6.x, 12G PE-C

12G PE-C	C5220	C5220	C6105	C6145	C6220	C8220X	C8220X
	Xeon E3-1200	Xeon E3-1200 V2	Opteron 4300	Opteron 6300	Xeon E5-2600	Xeon E5-2600	Xeon E5-2600 V2
64 Bit Only							
RHEL 6.0 (Gold)	✓		✓				
RHEL 6.1	✓	✓	✓		✓	✓	
RHEL 6.2	✓	✓	✓	✓	✓	✓	
RHEL 6.3	✓	✓	✓	✓	✓	✓	
RHEL 6.4	✓	✓	✓	✓	✓	✓	✓
RHEL 6.5	✓	✓	✓	✓	✓	✓	✓
RHEL 6.6	✓	✓	✓	✓	✓	✓	✓
RHEL 6.7	✓	✓	✓	✓	✓	✓	✓
RHEL 6.8	✓	✓	✓	✓	✓	✓	✓
RHEL 6.9	✓	✓	✓	✓	✓	✓	✓
RHEL 6.10	✓	✓	✓	✓	✓	✓	✓



RHEL 6.x, 11G Racks

11G Rack	R210	R210 II	R210 II	R310	R410	R410	R415	R415	R415	R510	R510
	Xeon 3400	Xeon E3-1200	Xeon E3-1200 V2	Xeon 3400	Xeon 5500	Xeon 5600	Opteron 4100	Opteron 4200	Opteron 4300	Xeon 5500	Xeon 5600
64 Bit Only											
RHEL 6.0 (Gold)	✓	✓		✓	✓	✓	✓	✓		✓	✓
RHEL 6.1	✓	✓		✓	✓	✓	✓	✓		✓	✓
RHEL 6.2	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓
RHEL 6.3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.6	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.8											
RHEL 6.9											

11G Rack	R515	R515	R515	R610	R610	R710	R710	R715	R715	R715
	Opteron 4100	Opteron 4200	Opteron 4300	Xeon 5500	Xeon 5600	Xeon 5500	Xeon 5600	Opteron 6100	Opteron 6200	Opteron 6300
64 Bit Only										
RHEL 6.0 (Gold)	✓			✓	✓	✓	✓	✓	✓	
RHEL 6.1	✓	✓		✓	✓	✓	✓	✓	✓	
RHEL 6.2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.6	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.8										
RHEL 6.9										

11G Rack	R810	R810	R810	R810	R810	R815	R815	R815	R910	R910	R910
	Xeon 6500	Xeon 7500	Xeon E7-2800	Xeon E7-4800	Xeon E7-8800	Opteron 6100	Opteron 6200	Opteron 6300	Xeon 7500	Xeon E7-4800	Xeon E7-8800
64 Bit Only											
RHEL 6.0 (Gold)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.6	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RHEL 6.8											
RHEL 6.9											



RHEL 6.x, 11G Blades

11G Blade	M610 Xeon 5500	M610 Xeon 5600	M610X Xeon 5500	M610X Xeon 5600	M710 Xeon 5500	M710 Xeon 5500	M710HD Xeon 5500	M710HD Xeon 5600	M910 Xeon 6500	M910 Xeon 7500	M910 Xeon E7-2800
64 Bit Only											
RHEL 6.0 (Gold)											
RHEL 6.1											
RHEL 6.2											
RHEL 6.3											
RHEL 6.4											
RHEL 6.5											
RHEL 6.6											
RHEL 6.7											
RHEL 6.8											
RHEL 6.9											

11G Blade	M910 Xeon E7-4800	M910 Xeon E7-8800	M915 Opteron 6100	M915 Opteron 6200	M915 Opteron 6200
64 Bit Only					
RHEL 6.0 (Gold)					
RHEL 6.1					
RHEL 6.2					
RHEL 6.3					
RHEL 6.4					
RHEL 6.5					
RHEL 6.6					
RHEL 6.7					
RHEL 6.8					
RHEL 6.9					



RHEL 6.x, 11G Towers

11G Tower	T110	T110 II	T110 II	T310	T410	T410	T610	T610	T710	T710
	Xeon 3400	Xeon E3-1200	Xeon E3-1200	Xeon 3400	Xeon 5500	Xeon 5600	Xeon 5500	Xeon 5600	Xeon 5500	Xeon 5600
64 Bit Only										
RHEL 6.0 (Gold)										
RHEL 6.1										
RHEL 6.2										
RHEL 6.3										
RHEL 6.4										
RHEL 6.5										
RHEL 6.6										
RHEL 6.7										
RHEL 6.8										
RHEL 6.9										

